

THE CORPORATION OF THE UNITED TOWNSHIPS OF HEAD, CLARA AND MARIA BUILDING PERMIT INFORMATION REQUIREMENTS

The following information (as indicated) is required as part of the Building Permit Application.

DOCUMENT	REQUIRED INFORMATION
SITE PLAN	The Site Plan will show the location and dimensions of all existing and proposed buildings on your lot and the distances from buildings to lot lines. Drawing to be to standard scale, imperial or metric.
SURVEY	A copy of the up-to-date property survey prepared by a license surveyor.
LOT GRADE CONTROL PLAN	The plan will show grade elevations when work is completed and will indicate surface water flow direction.
BUILDING PLANS OR DRAWINGS	
Foundation Plan Floor Plan Elevation Drawings Cross Section of Details Pre-Engineered Components Electrical Mechanical (Plumbing) (Heat and Ventilation)	Two sets of Plans / Drawings, one of which will be returned after examination.

All electrical wiring must be inspected by the Electrical Safety Authority. Separate inspection applications (permits) must be filed, ESA Customer Service Centre: phone 1-877-372-7233, fax 1-800-667-4278, <u>www.esasafe.com</u>

Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the *Building Code Act*, 1992

	For use by I	Principal	Authority		
Application number:	No.	Permit n	umber (if different)		
Date received:	國民黨等的自	Roll num	ber:		
	151			a 1-12 +=	
Application submitted to:(Name of municipality)	ty, upper-tier mun	icipality, boa	ard of health or conse	ervation authority)	
A. Project information	에 있지 기가 같		E. A. En	STR.	
Building number, street name				Unit number	Lot/con.
Municipality	Postal code		Plan number/othe	er description	
Project value est. \$	<u></u>		Area of work (m ²))	
B. Purpose of application					
New construction Addition existing		Altera	tion/repair	Demolition	Conditional Permit
Proposed use of building	Curi	rent use of	building		
Description of proposed work		1000 mil 1000 mil 1000			
C. Applicant Applicant is:	Owner or	新学生之一的" ¹¹	Corporation or p	t of owner	
Street address				Unit number	Lot/con.
Municipality	Postal code		Province	E-mail	
Telephone number ()	Fax ()			Cell number ()	
D. Owner (if different from applicant)			s i s di gi d		
Last name	First name		Corporation or p	artnership	
Street address	1,		I	Unit number	Lot/con.
Municipality	Postal code		Province	E-mail	<u> </u>
Telephone number ()	Fax ()		1	Cell number ()	

Application for a Permit to Construct or Demolish - Effective January 1, 2014

1

i,

E. Builder (optional)					
Last name	First name	Corporation or partnersh	nip (if a	pplicable)	
			Unitin	umber	Lot/con.
Street address			Unit fi	uniber	Loncom
St	Postal code	Province	E-ma	il	
Municipality	1 03101 0000				
Telephone number	Fax		Cell r	umber	
	()		()	
F. Tarion Warranty Corporation (Ontari	o New Home Warran	ty Program)		1. 1.	and the second sec
i. Is proposed construction for a new horn Plan Act? If no, go to section G.	ne as defined in the Onla	ario New Home Warrantie	S	Yes	No
ii. Is registration required under the Ontar	io New Home Warrantie	s Plan Act?		Yes	No
 iii. If yes to (ii) provide registration numbe G. Required Schedules i) Attach Schedule 1 for each individual who re ii) Attach Schedule 2 where application is to cordinate the second second	views and takes respons		•		5.5 (A 7 72) S. (A
			03/11/4	14 AL 4-28	
H. Completeness and compliance with		1		ABAR	
 i) This application meets all the requirements of Building Code (the application is made in the applicable fields have been completed on the schedules are submitted). Payment has been made of all fees that are regulation made under clause 7(1)(c) of the 	e correct form and by the e application and require required, under the app	e owner or authorized age ed schedules, and all requ licable by-law, resolution (nt, an iired	Yes Yes	No
application is made.ii) This application is accompanied by the plan resolution or regulation made under clause	s and specifications pres	scribed by the applicable t	oy-law,	Yes	No
 iii) This application is accompanied by the infor law, resolution or regulation made under clause the chief building official to determine wheth contravene any applicable law. 	mation and documents p suse 7(1)(b) of the Buildi	prescribed by the application of the second se	enable	Yes	No
iv) The proposed building, construction or dem	olition will not contraven	e any applicable law.		Yes	No
			(internet)	- 1730 2873	
I	nv knowledae.		specific		_declare that:
Date	Signature	of applicant			


Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

Schedule 1: Designer Information

A. Project Information Building number, street name		The second		
Building number, street name	Printing and the street of the second street and	and the second and the second	5 5 5 C	
			Unit no.	Lot/con.
nicipality Postal code Plan number/ other d			er description	
B. Individual who reviews and	takes responsibili	ty for design act	ivities	
Name		Firm		
Street address	Ay y An I I I A A A A A A A A A A A A A A A	, <u>I</u> , , , , , , , , , , , , , , , , ,	Unit no.	Lot/con.
Municipality	Postal code	Province	E-mail	
Telephone number	number Fax number			
C. Design activities undertake Division C] House		entified in Sectio		able 3.5.2.1. of
Small Buildings Large Buildings Complex Buildings	Buildin Detect	ig Services ion, Lighting and Po rotection	ower Plumbir Plumbir	ng – House ng – All Buildings Sewage Systems
D. Declaration of Designer		ade la compañía		
D. Declaration of Designer		Aliferia, statistica		ose one as appropriate)
(pr I review and take respo C, of the Building Code Individual BCIN: _	int name) nsibility for the desigr	n work on behalf of he firm is registered		ose one as appropriate bsection 3.2.4.of Divisio
(pr I review and take respond C, of the Building Code Individual BCIN: Firm BCIN:	int name) nsibility for the design a. I am qualified, and t posibility for the design b. of Division C, of the	n work on behalf of the firm is registered n and am qualified i	declare that (cho	ose one as appropriate) bsection 3.2.4.of Divisio es/categories.
(pr I review and take respond C, of the Building Code Individual BCIN: Firm BCIN: I review and take respond under subsection 3.2.5 Individual BCIN:	int name) nsibility for the design a. I am qualified, and t posibility for the design b. of Division C, of the	n work on behalf of he firm is registered n and am qualified i Building Code.	declare that (cho a firm registered under su d, in the appropriate class n the appropriate categor	ose one as appropriate) bsection 3.2.4.of Divisio es/categories.
(pr I review and take respond C, of the Building Code Individual BCIN: Firm BCIN: I review and take respond under subsection 3.2.5 Individual BCIN: Basis for exemption The design work is exec	int name) Insibility for the design I am qualified, and to onsibility for the design of Division C, of the on from registration:	n work on behalf of he firm is registered n and am qualified i Building Code.	declare that (cho a firm registered under su d, in the appropriate class n the appropriate categor	ose one as appropriate bsection 3.2.4.of Divisio es/categories. y as an "other designer" ding Code.
(pr I review and take respond C, of the Building Code Individual BCIN: Firm BCIN: I review and take respond under subsection 3.2.5 Individual BCIN: Basis for exemption The design work is exemption I certify that:	int name) insibility for the design and the design onsibility for the design of Division C, of the on from registration: empt from the registration ar	n work on behalf of the firm is registered n and am qualified i Building Code. tion and qualification nd qualification:	declare that (cho	ose one as appropriate bsection 3.2.4.of Divisio es/categories. y as an "other designer" ding Code.
I(pr I review and take respond C, of the Building Code Individual BCIN: Firm BCIN: I review and take respond under subsection 3.2.5 Individual BCIN: Basis for exemption The design work is exemption	int name) insibility for the design onsibility for the design onsibility for the design on from registration: empt from the registration ar in this schedule is tru	n work on behalf of the firm is registered n and am qualified i Building Code. tion and qualification nd qualification: e to the best of my	declare that (cho a firm registered under su d, in the appropriate class n the appropriate categor n requirements of the Buil knowledge.	ose one as appropriate; bsection 3.2.4.of Divisio es/categories. y as an "other designer" ding Code.

- For the purposes of this form, "individual" means the "person" referred to in Clause 3 2.4.7(1) (c) of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association c Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

1



certify the truth of all

the statements or representations contained therein.

I understand that the issuance of a permit shall not be deemed a waiver of any of the provisions of any by-laws or requirements of the *Building Code Act, 1992*, or regulations made thereunder, notwithstanding anything included in or omitted from the plans or other material filed in support of or in connection with an application.

Lacknowledge that in the event a permit is issued, any departure from specific conditions, plans, specifications or building locations proposed in the application is prohibited and such could result in the permit being revoked.

I further acknowledge that in the event the permit is revoked for any cause or irregularity or non-conformity with by-laws or requirements of the *Building Code Act*, 1992, or regulations made thereunder, there shall be no right of claim whatsoever against the municipal corporation or any official thereof and any such claim is hereby expressly waived.

Schedule 2: Sewage System Installer Information

L

Project Information			Unit number	Lot/con.
	L Destal ando	Plan number/ other de		
unicipality	Postal code	Flait humben other de		
Sewage system install	er		10% 计算机 计算机	14460年代,1993年
the installer of the sewage systems, in ac	stem engaged in the busin ccordance with Building Co	ess of constructing on-si ode Article 3.3.1.1, Divisi	te, installing, repairing on C?	, servicing, cleaning or
Yes (Continue to Section		(Continue to Section E)	Installe	r unknown at time of tion (Continue to Section I
Registered installer in	formation (where answ	ver to B is "Yes")		THE REAL PROPERTY AND
ame			BCIN	
treet address			Unit number	Lot/con.
lunicipality	Postal code	Province	E-mail	
elephone number	Fax		Cell number ()	
). Qualified supervisor i	nformation (whore and	werte socian Bist	Yes")	TOTAL STREET
インジンティアの行うと、 オンテングションパンティーション		Building Code Identific		
lame of qualified supervisor(s))	and the second		
Name of qualified supervisor(s) E. Declaration of Applic) ant:	and the second		declare that:
Name of qualified supervisor(s) E. Declaration of Applic I)	Building Code Identific	installer is unknown a	declare that:
Name of qualified supervisor(s) E. Declaration of Applic I) ant: int name) or the permit to construct th	Building Code Identific	installer is unknown a s known;	declare that: at time of application, I
E. Declaration of Applic I(pring the applicant for shall submit a new S OR I am the holder of the) ant: int name) or the permit to construct th Schedule 2 prior to constru	Building Code Identific	installer is unknown a s known;	declare that: at time of application, I
E. Declaration of Applic I) ant: int name) or the permit to construct th Schedule 2 prior to constru	Building Code Identific he sewage system. If the action when the installer is newage system, and am s	installer is unknown a s known; submitting a new Sche	declare that: at time of application, I
E. Declaration of Applic I) ant: int name) or the permit to construct th Schedule 2 prior to constru the permit to construct the s	Building Code Identific be sewage system. If the action when the installer is bewage system, and am so the to the best of my know	installer is unknown a s known; submitting a new Sche	declare that: at time of application, I edule 2, now that the insta

Energy Efficiency Design Summary: Prescriptive Method

□ Air Sourced Heat Pump (ASHP)

Ground Sourced Heat Pump (GSHP)

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/skylights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

For use by Principal Authority				
Application No:	Model/Certification Number			
	and the second			

A. Project Information

Area of W, S & G =

m² or

Building number, street name			Unit number	
Municipality	Postal code	Reg. Plan number / other descripti	on	

B. Prescriptive Compliance [indicate the building code compliance package being employed in this house design]

SB-12 Prescriptive (input design p	ackage): Package:	Table	9:	
C. Project Design Conditions				
Climatic Zone (SB-1):	Heating Equipment Efficiency	Space Heating F	uel Source	
Zone 1 (< 5000 degree days)	□ ≥ 92% AFUE	🗆 Gas	Propane	Solid Fuel
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 92% AFUE	a Oil	Electric	Earth Energy
Ratio of Windows, Skylights & Glass	(W, S & G) to Wall Area	Other Building (Characteristics	
		🗆 Log/Post&Bear	n 🗆 ICF Above Gra	ade DICF Basement
Area of walls =ft ²	W. S & G % =	D Slab-on-ground	d 🛛 🛛 Walkout Baser	ment
	W, 3 & G %	🗆 Air Conditionin	g 🛛 Combo Unit	

D. Building Specifications [provide values and ratings of the energy efficiency components proposed]

Utilize window averaging: DYes DNo

Energy Efficiency Subs	titutions	いた。这				
□ ICF (3.1.1.2.(5) & (6) / 3.1.	1.3.(5) & (6	5))				
Combined space heating a	ind domest	ic water heal	ing systems (3.1.1.2.(7) / 3.1.1.3.(7))		
 Airtightness substitution(s) 						
	D Table 3	.1.1.4.B Red	quired:	Permitted Substitution:		
Airtightness test required (Refer to Design Guide Attached)	🗆 Table 3	.1.1.4.C Red	quired:	Permitted Substitution:_		· · · · · · · · · · · · · · · · · · ·
		Red	quired:	Permitted Substitution:_		
Building Compone	nt		SI / R values m U-Value ⁽¹⁾	Building Component	Efficien	cy Ratings
Thermal Insulation		Nominal	Effective	Windows & Doors Provide U-Value(1) or ER	rating	
Ceiling with Attic Space				Windows/Sliding Glass Doors		
Ceiling without Attic Space	3			Skylights/Glazed Roofs		
Exposed Floor				Mechanicals		
Walls Above Grade				Heating Equip.(AFUE)		
Basement Walls				HRV Efficiency (SRE% at 0° C)		
Slab (all >600mm below grade)				DHW Heater (EF)		
Slab (edge only ≤600mm below	(grade)		-	DWHR (CSA B55.1 (min. 42% efficiency))		# Showers
Slab (all ≤600mm below grade,	or heated)			Combined Heating System		

(1) U value to be provided in either W/(m^2 -K) or Btu/(h-ft²-F) but not both.

E. Designer(s) [name(s) & BCIN(s), if applicable, of person(s) providing information herein to substantiate that design meets the building code]

Qualified Designer Declaration of designer to have reviewed and take responsibility for the design work.

BCIN Name Signature

Form authorized by OHBA, OBOA, LMCBO Revised December 1, 2016

Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the <u>SB-12 Prescriptive</u> design tables (this form is for this option (Option 1)),
- 2. Use the SB-12 Performance compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star, or
- 4. Design to R2000 standards.

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

 <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 *Windows, Skylights and Glass Doors:* If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. *Fuel Source and Heating Equipment Efficiency:* The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. *Other Building Conditions:* These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A ore different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Duilding Trees					
Building Type	ACH @ 50 Pa	NLA @ 10 Pa		NLR @ 50 Pa	
Detached dwelling	2.5	1.26 cm ² /m ² 1.81 in ² /100ft ²		0.93 L/s/m ²	0.18 cfm50/ft ²
Attached dwelling	3.0	2.12 cm ² /m ²	3.06 in ² /100ft ²	1.32 L/s/m ²	0.26 cfm 50/ft ²

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.